

Join by Web

Join by Text

Go to Pollev.com

Text UNCCN to 22333

Enter UNCCN
Text in your message

Respond to activity

# CONTINUING EDUCATION CREDITS

### FREE CE Credits - CNE (ANCC) - CME - ACPE - ASRT

Live Lectures Part unccn.org

Patient Centered Care 2nd Wednesday – 12 pm – 1 pm Research to Practice 4th Wednesday – 12 pm – 1 pm

Self-Paced, Online Courses learn.unccn.org Any day and time that's convenient for you

### **NO CE Credits Available**

MediaSite Library unccn.org/mediasite

Any day and time that's convenient for you

YouTube Channel

Any day and time that's convenient for you

unccn.org/youtube

Any day and time that's convenient for you

VuMedi Channel unccn.org/vumedi

For a complete listing and details on coming events visit: www.unccn.org/events

3


### **ALUATION SURVEY**



Your feedback is greatly appreciated!

### Please visit:

unccn.org/eval



UNC CANCER NETWORK  People with cancer do not benefit from palliative care.		
True <b>A</b>		
False <b>B</b>		

### PRESENTE



Gary Winzelberg, MD, MPH Gary Winzelberg, MD MPH, directs the UNC Hospice and Palliative Medicine Fellowship Program which has trained 13 physicians during its first five years of existence. Dr. Winzelberg is board-certified in both hospice and palliative medicine and geriatric medicine. His teaching focuses on improving communication between physicians, seriously ill patients and their families.

7

### PRESENTE




Jenny Hanspal, RN, BSN, MS, OCN

Jenny Hanspal is a Nurse Clinical Coordinator with the Outpatient Oncology Palliative Care Service at the N.C. Cancer Hospital. In this role, Jenny assists her primary team in helping patients manage and cope with the long term physical and emotional side effects and symptoms related to cancer and its treatment. Additionally, she assists in evaluating and coordinating barriers to and transitions in care amongst oncology patients and their families.

Previously, she worked as an Oncology Nurse Navigator with the Comprehensive Cancer Support Program in the Patient and Family Resource Center in the N.C. Cancer Hospital. Her worked centered on assisting families with support resources, education, and coping with the multiple challenges often present when faced with a cancer diagnosis and treatment.



S



### **Premise**

 Over the past 50 years, the fields of hospice and palliative care have had a significant impact on improving quality of life and care for patients with cancer.

**UNC** 

11

### Outline

- Historical developments resulting in development of hospice and palliative care
- Clinical components of hospice and palliative care
  - What does the patient and family experience?
- Outcomes of hospice and palliative care for patients

UNC SCHOOL OF M

### **Evolution of Life Expectancy & Causes of Death**

- 1900: Life expectancy = 47 years
- Top 3 causes of death = pneumonia/flu, tuberculosis, gastrointestinal infections
- 2010: Life expectancy = 79 years
- Top 3 causes of death = heart disease, cancer, lung disease
- Dementia likely underrepresented



13

### Factors Contributing to Increased Life Expectancy

- Public health (sanitation, water)
- Vaccinations
- Disease-directed treatments
  - Antibiotics
  - Heart disease
  - Cancer chemotherapy, immunotherapy



### Dying as a Chronic Condition

- Physical and cognitive decline over months years
- Life prolonging interventions
  - Intensive care units
  - Mechanical ventilation
  - Kidney dialysis
- Family caregiving and financial impact



15

### **Dame Cicely Saunders**

- 1918-2005
- Nurse
- Social worker
- Physician
- Founded St. Christopher's Hospice in London
- First patient admitted on July 13, 1967



UNC SCHOOL OF ME

### Cicely Saunders (Richmond C. thebmj. 07.18.2005)

• "It appears that many patients feel deserted by their doctors at the end. Ideally the doctor should remain at the centre of a team who work together to relieve where they cannot heal, to keep the patient's own struggle within his compass and to bring hope and consolation to the end." [1958]


**UNC** 

17

### Hospice in the United States

- 1965 Medicare and Medicaid
- 1969 Kubler Ross, On Death and Dying (5 Stages of Grief)
- 1972 Medicare coverage for End Stage Renal Disease
- 1974 Connecticut Hospice
- 1976 NEJM paper about DNR order; Quinlan case
- 1982 Medicare hospice benefit
- 1991 Patient Self-Determination Act

UNC SCHOOL OF MEDICI



\_\_\_

### Poll

- Hospice care provides all of the following EXCEPT:
- 1. Bereavement services
- 2. In-home nurse visits
- 3. Hospital bed
- 4. Chemotherapy



### Hospice Philosophy

- Vision individuals & families facing serious illness, death, and grief experience the best that humankind can offer
  - Model for quality, compassionate care at the end of life
  - Team approach of expert medical care, pain management and emotional & spiritual support tailored to the patient's wishes
  - Team = nursing, medicine, social work, chaplains, volunteers
- Goal support every day to become the best day possible
  - Independent of number of days

UNC SCHOOL OF ME


National Hospice and Palliative Care Organization

21

### Hospice Eligibility (Medicare)

- Certification by a physician as patient having:
  - Terminal illness
  - Expected to live for six months or less with the disease taking its usual/normal course
- Patient desire to pursue comfort care over disease treatment
- Election periods
  - Initial 90 day period
  - Subsequent 90 day period
  - Unlimited number of subsequent 60-day periods

UNC SCHOOL OF MEI



### General Eligibility Guidelines

- Patient/family focus on symptom relief rather than cure
- Disease progression
- Weight loss, albumin < 2.5
- Dependence in at least 2 ADLs
- Need for frequent hospitalizations, office, ER visits
- Progressive/non-healing Stage III or IV pressure ulcers
- Hospital developed with cancer as model condition
  - Development of other disease-specific criteria

UNC SCHOOL OF MEDICINE

### **Hospice Benefits**

- Multidisciplinary team supports patient and family
  - Usually at home
- All medications, equipment and supplies needed for patient comfort and related to the hospice-eligible diagnosis
- Bereavement support offered for 12 months after death

UNC

25

### **Home Hospice Services**

- 24 hour on-call
- RN visits: < 3/week + prn
- Home health aide: < 2 hr/day
- Social worker: every 2 weeks
- Chaplain: every 2-4 weeks
- Volunteer: 2-4 hours/week
- MD: prn
- Therapists: prn
- \*\*Depends on hospice organization & patient needs/preferences

UNC SCHOOL OF ME

### **Inpatient Hospice**

- Pain & symptoms can't be effectively managed in the patient's home or other residential setting
  - Hospital (or ICU) level care for symptom management
- Requires skilled nursing care 24 hrs/day to maintain comfort
- Short-term intervention
- No limit on number of days, episodes
- All costs covered

UNC SCHOOL OF ME

27



### **Other Hospice Services**

- Respite
  - Up to 5 days per billing period
  - · Usually provided in nursing home or hospice facility
  - Provide rest for caregiver
  - Home temporarily inadequate to meet care needs

- Continuous
  - Provided only during periods of crisis to maintain patient at home
  - At least 8 hours in a 24 hour period
  - At least 50% care must be provided by nurse


UNC SCHOOL OF ME

29

### **Hospice Care Barriers**

- Preference for disease-directed treatments
- Challenges with prognostication
- Inadequate caregiving at home
- Hospice doesn't pay for room & board in nursing homes, assisted living facilities

UNC SCHOOL OF M



### **Addressing Hospice Concerns**

- Ask about experiences of loved ones, friends
- First, identify comfort & dignity as primary or exclusive goals
- Then, discuss, recommend hospice as service to support goals
- Focus on helping make every day the best day possible
  - Maximizing quality of life
  - · Living until death
- Reassure that services can be discontinued
- Note that prognostication is inherently inexact




### Poll,

- In 2015, which location was the site of death for the highest number of patients?
- 1. Hospital
- 2. Home
- 3. Nursing home
- 4. Inpatient hospice facility

UNC

33





### Why isn't hospice enough?


- SUPPORT study (JAMA 1995) 5 teaching hospitals in US
- 9,105 hospitalized adults with 9 life-threatening diagnoses
- 47% six-month mortality rate
- 50% patients had moderate-severe pain prior to hospital death per families
- 38% hospital deaths included > 10 days in ICU
- 47% physicians knew when patients preferred DNR
- 46% DNR orders written within 2 days of death
- Intervention with specially trained nurse = no impact

UNC SCHOOL OF MEI

35







### **Palliative Care Components**

- Symptom assessment & management
  - Pain
  - Non-pain symptoms (physical & mental health)
- Support for patients and families
  - Emotional
  - Coping
  - Practical
- Communication & decision-making
  - Illness understanding
  - · Advance care planning
  - Goals of care align decisions with (achievable) priorities

UNC

39

### Poll

- Hospice and palliative care share all of the following characteristics EXCEPT:
- 1. Provide pain and symptom management
- 2. Support patients and families
- 3. Depend on a prognosis of less than 6 months to begin services
- 4. May be provided in homes and nursing home

UNC SCHOOL OF ME

### **Hospice & Palliative Care Compare/Contrast**

Hospice	Palliative Care
Pain & Symptom Management	Pain & Symptom Management
Patient & Family Support	Patient & Family Support
Communication/Decision Making	Communication/Decision Making
Comprehensive insurance benefit: Meds/Equipment/Home supports	<u>Limited insurance coverage</u> for physician consultation; reliance on health system support
Prognosis < 6 months if disease follows expected course	Independent of Prognosis
<b>Goal: exclusively comfort.</b> Avoid hospitalizations	<b>Co-exists with</b> disease-based evaluation/treatment, hospitalizations
Where: <i>primarily <u>home</u></i> , long-term care, inpatient facilitites	Where: <i>primarily <u>hospitals</u></i> Developing in outpatient clinics, home, long-term care



41

### Nurses Play a Key Role in Palliative Care

- Pain and symptom management—assessment and education
  - Pain, nausea/vomiting, fatigue, sleeplessness, appetite, depression/anxiety, bowel function, functional ability
- Barriers to Care
  - Assessment of financial, physical, and economic barriers
- Communication support and facilitation
- Care coordination and collaboration with hospital/clinic and community-based teams
- Psychosocial support for patient and family
- Advance care planning and medical decision making
  - Health care decision maker or healthcare power of attorney (HCPO)
  - · Life prolonging treatments
  - Goals and wishes





### Care Coordination and Collaboration



- Internal and external teams
  - Appointments, changes in care, hospitalizations,
- Healthcare Teams
  - Partnering with teams to achieve expert symptom management and ensure the patients goals align with treatment options.
- Patients
  - Offers a sense of control
  - Helps attain spiritual peace
  - Allows space and time to get affairs and finances in order
  - Strengthens or resolves relationships with loved ones
  - · Reassurance that their life has meaning

UNC

43

### **Advance Care Planning**




- Hope for the best...Prepare for the worst
  - Hope for the best—review treatments that may prolong life and relieve suffering
  - Prepare for the worst—What would be left undone? Who would make decisions if you could not make them? What would be your wishes be regarding aggressive treatments, such as CPR?
- Understand cultural differences in talking about death and dying
  - Views of death—cycle of life or try to avoid
  - · Social customs
- NC Prepare for Your Care
  - https://prepareforyourcare.org/welcome
- The Conversation Starter Kit
  - https://theconversationproject.org/starter-kits/
- Vital Talk
  - https://www.vitaltalk.org/





Your Conversation Starter Kit When it comes to end-of-life care, talking matters.

Notice for Healthcare the confernation project



### Top 10 Things PC Clinicians Wished Everyone Knew About Palliative Care

(Strand JJ et al. Mayo Clin Proc 2013)

- 1. PC can help address the multifaceted aspects of care for patients facing a serious illness.
- 2. PC is appropriate at any stage of serious illness.
- 3. Early integration of PC is becoming the new standard of care for patients with advanced cancer.
- 4. Moving beyond cancer: PC can be beneficial for many chronic diseases.
- 5. PC teams manage total pain.



### Top 10 Things...

- 6. Patients with a serious illness have many symptoms that PC teams can help address.
- 7. PC can help address the emotional impact of serious illness on patients and their families.
- 8. PC teams assist in complex communication interactions.
- 9. Addressing the barriers to PC involvement: patients' hopes and values equate to more than a cure.
- 10. PC enhances health care value.

UNC SCHOOL OF

47

### Consider

- Which of the following patents could benefit from palliative care?
  - A. 64 y/o with stage 2 prostate cancer and congestive Heart failure (CHF), high blood pressure (HTN), and diabetes (DM)?
  - 32 y/o with acute myelogenous leukemia (AML)?
  - 57 y/o with newly diagnosed stage 3 breast cancer patient with 3 children and recently divorced
  - 76 y/o with chronic obstructive pulmonary disease (COPD) and stage 3 lung cancer



III UNC

### **Answer**

- All!
- A. CHF is a chronic condition requiring frequent symptom management checks and often results in multiple hospitalizations
- B. AML pt is considered an AYA (Adult and Young Adolescent) patient with unique needs facing a life threatening diagnosis
- C. Breast cancer patient with recent and significant life life changes including cancer diagnosis and loss of partner/caregiver and continued childcare responsibilities
- D. COPD is a chronic condition requiring frequent symptom management checks and often results in multiple hospitalizations



49

### Poll

- Palliative care has been demonstrated in research studies to have all of the following outcomes EXCEPT:
- 1. Improve patients' quality of life
- 2. Shorten patients' survival
- 3. Increase length of hospice enrollment
- 4. Decrease use of chemotherapy within 60 days of death



### **Palliative Care Outcomes**

- > 10 randomized controlled trials; outpatient & hospital care
- Patients with advanced cancer
  - Solid tumor (lung, gastrointestinal)
  - Hematopoietic stem cell transplant
- Benefits across multiple trials:
  - Improves quality of life (timing 2-24 weeks)
  - Reduces depression
  - Increases care satisfaction
- Benefits in > 1 trial:
  - Survival
  - Decreased use of chemotherapy within 60 days of death
  - Longer hospice enrollment
  - · Discussed prognosis & end of life wishes with oncologist
- No adverse outcomes from early palliative care involvement in any trials



El-Jawahri A et al. JAMA 2016; Temel JS et al. J Clin Oncol 2016. Greer JA et al. J Clin Oncol 2011; Temel JS et al. NEJM 2010; Bakitas M et al. JAMA 2009. Ferrell BR et al. J Clin Oncol 2016.

51

### Association Between Palliative Care and Patient and Caregiver Outcomes

(Kavalieratos D et al. JAMA 2016)

- Systematic review/meta analysis
- 43 RCTs, 12,731 patients (mean age 67) & 2,479 caregivers
- Cancer, Heart Failure, HIV (1), MS (1)
- Improved patient QOL at 1 to 3 month follow up
- Improved symptom burden at 1 to 3 month follow up
- · No association with survival
- Consistent improvements in:
  - Advance care planning
  - · Patient and caregiver satisfaction
  - · Lower health care utilization



### Patient - NF

- 47 year old male, diagnosed with Stage 4 lung cancer in 2017
- Moved to NC in 2019 to support his wife first palliative care visit
- Clinic and hospital visits for symptom management integrated with cancer treatments
- 2020 cancer progression, ongoing discussion about care goals
- Intestinal obstruction from cancer
- Transition to inpatient hospice facility
  - Wife stayed 24/7, visits from cat
  - Lived for 1+ month


UNC SCHOOL OF M


53

### Summary

- Palliative care and hospice components of service continuum for seriously ill patients and their families
- Hospice home-based service that is expanding, including other settings
- Palliative care is moving upstream from hospital
- Both palliative care and hospice and team-based services that improve patients' quality of life, symptom burden and address caregiver needs

UNC SCHOOL OF ME





### UPCOMING LIVE LECTURES



February 17 Caring for Patients with Gynecologic Cancers
Daniel Clarke-Pearson, MD

March 17
12:00 PM
Caring for the Patient with Hematologic Cancers:
Leukemia, Lymphoma, and Multiple Myeloma Cancer
Natalie Grover, MD

For a complete listing and details on coming events visit: www.unccn.org/events

57

# SELF-PACED, ONLINE COURSES



Caring for the Patient
with Lung Cancer
Marjory Charlot, MD, MPH, MSc
Tammy Allred, RN, OCN

Oncology Nutrition
Jennifer Spring, RD, CSO, LDN

Today's lecture will be available in *November 2020* as a *FREE*, Self-Paced, Online Course

For a complete listing and details on coming events visit: www.unccn.org/events





Your feedback is greatly appreciated!

### Please visit:

unccn.org/eval

59

## THANK YOU FOR PARTICIPATING!

### **UNC Lineberger Cancer Network**

Email: unccn@unc.edu Call: 919-445-1000

Send us an email to sign up for our monthly e-newsletter.

Check us out at unccn.org



